

Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16

Revision date: -

Revision No.: 0

1. Identification of the substance/preparation and of the company/undertaking

Product name : BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV Product use : Silicone sealant Company : Bossil Technology Sdn. Bhd. :+6016 - 2119190 Telephone 22A-1, Jalan Tasik Utama 10, Fax 2.4 The Trillium @ Lake Fields, Email : sales@bossil.com Sg. Besi, 57000 Kuala Lumpur, Website : www.bossil.com Malaysia.

2. Hazard(s) identification

Substance/Mixture	: Mixture
Hazard classification	: Not classified as hazardous
Pictogram	: Not classified as hazardous
Signal word	: Not classified as hazardous
Hazard statement(s)	: Not classified as hazardous

Precautionary statement(s):

P271 Use only outdoors or in a well-ventilated area.

Other hazards which do not result in classification but contribute to overall hazards: None known

3. Composition/Information on ingredients

Chemical name	CAS No.	EINECS No.	%
Silicon dioxide	7631-86-9	231-545-4	1 - 10
Octamethylcyclotetrasiloxane	556-67-2	209-136-7	0.1 – 1.0

4. First-aid measures

In case of inhalation:

Remove to fresh air, keep warm and at rest. Contact physician if symptom persists.

In case of skin contact:

Remove contaminated clothing. Rinse with copious amount of water and soap. Get medical advice if skin irritation or a rash occurs. Wash clothing before reuse.

In case of eye contact:

Contact lenses should be removed. Rinse with copious amount of water immediately. Seek medical advice if eye irritation develops and persists.



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16

Revision date: -

Revision No.: 0

In case of ingestion:

DO NOT induce vomiting. Rinse mouth thoroughly with water. Get medical attention if a symptom persists.

Personal protection equipment for first-aiders:

Pay attention to any potential hazards and use recommended personal protection equipment if potential for exposure exists.

Most important symptoms and effects, acute and delayed:

None known.

5. Fire-fighting measures

Suitable extinguishing media:

Water, alcohol-resistant foam, carbon dioxide, dry chemical.

Unsuitable extinguishing media:

None known.

Specific firefighting procedures:

Remove undamaged containers from fire area if it is safe to do so. Use extinguishing media that is suitable to local circumstances and surrounding environment.

Special person protection equipment for firefighters:

NIOSH-approved self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific hazards arising from firefighting:

Exposure to combustion products may be a hazard to health.

Thermal decomposition products:

Carbon dioxide, carbon monoxide, and silicon oxides. At temperatures above 150 °C formaldehyde will form.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedure:

Use recommended personal protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Measure for cleaning/collecting:

Wipe or soak with inert liquid binding material (sand, sawdust, etc.). Scrape away cured material. Dispose the spilt material according to local or national regulations. Section 13 of this safety data sheet provides information regarding certain local or national requirements.

Additional information:

Prevent spillage from entering drainage/sewer systems. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

7. Handling and storage

Handling:

Ensure good ventilation during use. Avoid contact with skin and eyes. Do not eat, drink, or smoke when using the product.

Storage:



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16

Revision date: -

Revision No.: 0

Ensure containers and cartridges are tightly closed. Store in a dry, well-ventilated area, and protected from direct sunlight with temperature not exceeding 30 °C. Keep away from incompatibles. Refer to section 10 for incompatible materials.

8. Exposure controls/personal protection

Components	CAS No.	Form of exposure (Value type)	Control Parameter	Basis
Silicon dioxide (inhalable particulate)	7631-86-9	8 hours TWA (Particulate matter containing no asbestos and <1% crystalline silica)	10 mg/m ³	Malaysia OSHA
Silicon dioxide (respirable particulate)	7631-86-9	8 hours TWA (Particulate matter containing no asbestos and <1% crystalline silica)	3 mg/m ³	Malaysia OSHA
Silicon dioxide	7631-86-9	8 hours TWA	80 mg/m³/(%SiO ₂)	US OSHA
Silicon dioxide (inhalable dust)	7631-86-9	8 hours TWA	6 mg/m ³	UK WEL
Silicon dioxide (respirable dust)	7631-86-9	8 hours TWA	2.4 mg/m ³	UK WEL
Silicon dioxide	7631-86-9	8 hours TWA (Particulate matter containing no asbestos and <1% crystalline silica)	2 mg/m ³	Safe Work Australia

Engineering controls:

Product curing may form hazardous compounds. Ensure adequate ventilation and minimise workplace exposure concentrations.

Industrial hygiene:

Remove immediately all contaminated clothing. Do not inhale vapour. Wash hands and contaminated areas with water and soap before leaving the work site. Change clothing before leaving workplace and wash before reuse. Do not eat, drink, or smoke while using product.

Hand protection:

Suitable impervious protective gloves (latex, nitrile, etc.). Breakthrough time is not tested for this product. Change gloves often if possible.

Respiratory protection:

A NIOSH-approved respirator with filter for organic vapours is recommended where local ventilation is not adequate.

Eye/Face protection:

Protective goggles/safety glasses.

9. Physical and chemical properties



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16	Revision date: -	Revision No.: 0
Appearance	: Thixotropic paste	
Odour	: Acetic acid odour	
Odour threshold	: Not determined	
рН	: Not applicable	
Freezing/Melting point	: Not determined	
Boiling point range	: Not applicable	
Flash point	: Not applicable	
Evaporation rate	: Not applicable	
Flammability	: Not classified as flammable	
Explosive properties	: Not classified as explosive	
Oxidising properties	: Not classified as oxidising	
Vapour pressure	: Not applicable	
Vapour density	: Not applicable	
Relative density	: 1.04	
Solubility in water	: Not determined	
N-octanol/water		
partition coefficient	: Not determined	
Decomposition temperature	: Not determined	
Viscosity	: Not applicable	

10. Stability and reactivity

Reactivity:

No reactive hazards known.

Stability:

Stable under recommended handling and storage conditions.

Conditions to avoid:

Exposure to water/water vapour and humid air. Strong oxidising agents.

Hazardous reactions:

Hazardous polymerisation will not occur. Can react with strong oxidising agents. Acetic acid is formed after exposure to water or moisture in air. Hazardous decomposition products will be formed if used at elevated temperature.

Hazardous decomposition products:

Formaldehyde is formed at elevated temperature.

Incompatible materials:

Strong oxidising agents.

11. Toxicology information

No specific oral, inhalation or dermal toxicology data is known for this product. Any toxicological data included in this section is based on the data associated with the components.

Acute oral toxicity, LD₅₀ (rat):

Not classified based on available information and/or concentration of components.

Silicon dioxide	>3,300 mg/kg
Octamethylcyclotetrasiloxane	>4,800 mg/kg



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16

Revision date: -

Revision No.: 0

Acute dermal toxicity, LD₅₀ (rabbit):

Not classified based on available information and/or concentration of components.

Silicon dioxide	>5,000 mg/kg
Octamethylcyclotetrasiloxane	>2.5 ml/kg

Acute inhalation toxicity, LC₅₀ (4 hours, rat):

Not classified based on available information and/or concentration of components.

Silicon dioxide	> 2.08 mg/L
Octamethylcyclotetrasiloxane	2,975 ppm

Serious eye damage/eye irritation:

Not classified based on available information and/or concentration of components.

Silicon dioxide	Not eye irritant.
Octamethylcyclotetrasiloxane	Not eye irritant.

Skin corrosion/skin irritation:

Not classified based on available information and/or concentration of components.

Silicon dioxide	Not skin irritant.
Octamethylcyclotetrasiloxane	Not skin irritant.

Respiratory/Skin sensitisation:

Not classified based on available information and/or concentration of components.

Silicon dioxide	Not sensitising on skin.
Octamethylcyclotetrasiloxane	Not sensitising on skin.

Germ cell mutagenicity:

Not classified based on available information and/or concentration of components.

Silicon dioxide	Negative genotoxicity <i>in vitro</i> . Negative genotoxicity <i>in vivo</i> .
Octamethylcyclotetrasiloxane	Negative genotoxicity <i>in vitro</i> . Negative genotoxicity <i>in vivo</i> .

Carcinogenicity:

Not classified based on available information and/or concentration of components.

Reproductive toxicity:

Not classified based on available information and/or concentration of components.

Octamethylcyclotetrasiloxane	No effect on fertility and foetal development.



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16

Revision date: -

Revision No.: 0

Specific target organ toxicity – single exposure:

Not classified based on available information and/or concentration of components.

Octamethylcyclotetrasiloxane	Exposure by ingestion. No significant health effect at concentration of 100 mg/kg bw or less.
	Exposure by inhalation. No significant health effect at concentration of 1 mg/L/6 hrs/day or less.
	Exposure by skin contact. No significant health effect at concentration of 200 mg/kg bw or less.

Specific target organ toxicity - repeated exposure:

Not classified based on available information and/or concentration of components.

Octamethylcyclotetrasiloxane	Exposure by ingestion on rats.
	Exposure by inhalation on rats.
	Exposure by skin contact on rabbits.

Aspiration toxicity:

Not classified based on available information and/or concentration of components.

Octamethylcyclotetrasiloxane	Aspiration toxicity hazard.
------------------------------	-----------------------------

Likely route of administration:

Inhalation, skin contact, and ingestion.

12. Ecological information

Individual components of this mixture have been independently tested by the raw material suppliers and any known results have been presented below. The results for the individual components may not be representative of the ecological toxicity of this finished product. This finished product has not been tested to determine individual toxicological/ecological limits.

Ecology toxicity:

No adverse effect on aquatic organisms is predicted based on available information and/or concentration of components.

Octamethylcyclotetrasiloxane	
Toxicity to fish	Exposure for 96 hours, LC ₅₀ : >0.022 mg/L
Toxicity to crustacean	Exposure for 48 hours, LC_{50} : >0.015 mg/L
Toxicity to algae or other aquatic plants	Exposure for 72 hours, EC ₅₀ : 0.022 mg/L

Persistence and degradability:

Not likely to be persistent based on available information and/or concentration of components.

Octamethylcyclotetrasiloxane	Not readily biodegradable. Exposure for 28 days, 3.7% biodegradation.
------------------------------	--------------------------------------------------------------------------

Bioaccumulative potential:

No bioaccumulation potential based on available information and/or concentration of components.



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16	Revisior	n date: -	Revision No.: 0
Octamethylcyclotetrasiloxane		Log K _{ow} : 6.48	

Mobility in soil:

No data available.

13. Disposal information

Waste treatment/disposal methods - unused products

Waste disposal must be in compliance with environmental protection requirements and local regulations.

Waste treatment/disposal methods - contaminated packaging

Dispose of as unused product. Empty container should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Road transport (UNRTDG) UN number Proper shipping name Technical name Hazard class Classification code Packing group	 Not regulated as dangerous goods. Not applicable
Marine transport (IMDG) UN number Proper shipping name Technical name Hazard class EmS Packing group Marine pollutant	 Not regulated as dangerous goods. Not applicable
<u>Air transport (IATA)</u> UN number Proper shipping name Technical name Hazard class Packing group	 Not regulated as dangerous goods. Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

15.Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical in question:

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2010 (Malaysia)

Occupational Safety and Health (Classification, Labelling, and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 (Malaysia)

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (European Union)



Safety Data Sheet

BS-2026 / BS-8026BR / BS-8026BRS / BS-8026V7 / BS-802615V Hi-Temp RTV

Issued date: 29/12/16

Revision date: -

Revision No.: 0

Occupational Safety and Health Administration (OSHA) (2006) Air Contaminants. 29 CFR 1910.1000 (United States of America)

Work Health and Safety Act 2011 (Australia)

EH40/2005 Workplace exposure limits (United Kingdom)

Chemical inventory status:

Australia AICS	: All ingredients listed or exempt.
Canada DSL	: All ingredients listed or exempt.
China IECSC	: All ingredients listed or exempt.
Korea KECI	: All ingredients listed or exempt.
Philippines PICCS	: All ingredients listed or exempt.
United States TCSA	: All ingredients listed or exempt.

16.Other information

Definitions:

Deminions.	
TWA	: Time-weighted average.
STEL	: Short-term exposure level.
OSHA	: Occupational Safe and Health Act
WEL	: Workplace exposure limits
LD ₅₀	: The minimum dose required for lethal effects in 50% of a given population of test specimens.
ppm	: part per million
bw	: body weight
NOAEL	: No-observed-adverse-effect-level
NIOSH	: National Institute for Occupational Safety and Health.
UNRTDG	: United Nations Recommendations on the Transport of Dangerous Goods
IMDG	: International Maritime Dangerous Goods
ΙΑΤΑ	: International Air Transport Association
AICS	: Australian Inventory of Chemical Substances
DSL	: Domestic Substance List
IECSC	: Inventory of Existing Chemical Substances in China.
KECI	: Korea Existing Chemicals Inventory.
HSNO	: Hazardous Substance and New Organisms
PICCS	: Philippines Inventory of Chemicals and Chemical Substances.
TSCA	: Toxic Substances Control Act.

All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The details contained herein are based on our present state of knowledge and experience in characterising our product with regard to any possible safety requirement at the date of its publication. We do, however, pass them on without any warranty or property assurances.